

**[1] EC-TYPE EXAMINATION CERTIFICATE**

[2] Equipment or Protected System Intended for use  
in Potentially explosive atmospheres  
Directive 94/9/EC

- [3] EC-Type Examination Certificate Number: **Nemko 03ATEX1459X** Issue No.: **2**
- [4] Equipment or Protective System: **Adapter**
- [5] Applicant/ Manufacturer: **OSCG Co., Ltd.**
- [6] Address: **#416-2, Samrak-Dong,  
Sasang-Gu, Pusan  
Korea**
- [7] This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- [8] Nemko AS, notified body number 0470 in accordance with Article 9 of Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.
- The examination and test results are recorded in confidential report no. 175670
- [9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with:  
EN 60079-0: 2006 / IEC 60079-0: 2004, EN 60079-1:2004 / IEC 60079-1: 2003,  
EN 60079-7 :2007 / IEC 60079-7 :2006, EN 61241-0: 2006 / IEC61241-0: 2004,  
EN 61241-1: 2004 / IEC61241-1: 2004
- [10] If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.
- [11] This EC-TYPE EXAMINATION CERTIFICATE relates only to the design, examination and tests of the specified equipment or protective system in accordance to the directive 94/9/EC.  
Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.
- [12] The marking of the equipment or protective system shall include the following:

**II 2G****Ex d IIC****Ex e II****II 2D****Ex tD A21 IP66/67**

Oslo, 2011-05-25



p. p. Rolf Hoel  
Certification Manager, Ex-products

*This certificate may only be reproduced in its entirety and without any change, schedule included.*

## [13] Schedule

### [14] EC-TYPE EXAMINATION CERTIFICATE No **Nemko 03ATEX1459X Issue 2**

#### [15] Description of Equipment or Protective System

This certificate covers a range of brass adapters for cable entries or conduit entries openings in flameproof/increased safety enclosures.

#### Type Designations / Technical data

Type	Metric		NPT, PF		PG	
	Entry size (Male)	Entry size (Female)	Entry size (Male)	Entry size (Female)	Entry size (Male)	Entry size (Female)
OSAJ 20	M16x1,5 M20x1,5	M20x1,5			PG7	PG11
					PG9	
					PG7	PG13,5
					PG9	
OSAJ 25	M16x1,5 M20x1,5	M25x1,5	3/8"	3/4"	PG9	PG16
			1/2"		PG11	
					PG13,5	
OSAJ 32	M16x1,5	M32x1,5	1/2"	1"	PG11	PG21
	M20x1,5		3/4"		PG13,5	
	M25x1,5				PG16	
OSAJ 40	M20x1,5	M40x1,5	1/2"	1-1/4"	PG13,5	PG29
	M25x1,5		3/4"		PG16	
	M32x1,5		1"		PG21	
OSAJ 50	M25x1,5	M50x1,5	3/4"	1-1/2"	PG16	PG36
	M32x1,5		1		PG21	
	M40x1,5		1-1/4"		PG29	
OSAJ 63	M32x1,5	M63x1,5	1"	2"	PG21	PG42
	M40x1,5		1-1/4"		PG29	
	M50x1,5		1-1/2"		PG36	
OSAJ 75	M40x1,5	M75x1,5 or M75x2,0	1-1/4"	2-1/2"	PG29	PG48
	M50x1,5		1-1/2"		PG36	
	M63x1,5		2"		PG42	
OSAJ 90	M50x1,5	M90x1,5 or M90x2,0	1-1/2"	3"		
	M63x1,5		2"			
	M75x1,5		2-1/2"			
OSAJ 100	M63x1,5	M100x1,5 or M100x2,0	2"	3-1/2"		
	M75x1,5		2-1/2"			
	M90x2,0		3"			

#### Ingress Protection Code

IP66/67 according to EN 60529.

#### [16] Report No. 175670

*This certificate may only be reproduced in its entirety and without any change, schedule included.*

Postal address:  
P.O.Box 73 Blindern  
N-0314 OSLO, NORWAY

Office address:  
Gaustadalléen 30  
0373 OSLO

Telephone:  
+47 22 96 03 30  
Fax:  
+47 22 96 05 50

Enterprise number:  
NO 974404532

**Certificate History and Associated Nemko Reports**

Issue	Date	Report	Description
0	2003-08-25	11049	Prime Certificate released
1	2009-11-17	136640	New design and new thread types/sizes
2	2010-05-25	175670	IP66 included

**Descriptive Documents**

Name/Number	Rev.	Date	Title/Description	Sheets
OSAJ-01	1	2011-05-25	Ex OSAJ TYPE	1
OSAJ-02	1	2011-05-25	Ex OSAJ TYPE	1
OSAJ-03	1	2011-05-25	Ex OSAJ TYPE	1
OSAJ-M-01	1	2011-05-25	Ex OSAJ TYPE(METRIC)	1
OSAJ-M-02	1	2011-05-25	Ex OSAJ TYPE(METRIC)	1
OSAJ-M-03	1	2011-05-25	Ex OSAJ TYPE(METRIC)	1
OSAJ-N/P-01	1	2011-05-25	Ex OSAJ TYPE(NPT, PF)	1
OSAJ-N/P-02	1	2011-05-25	Ex OSAJ TYPE(NPT, PF)	1
OSAJ-N/P-03	1	2011-05-25	Ex OSAJ TYPE(NPT, PF)	1
OSAJ-PG-01	1	2011-05-25	Ex OSAJ TYPE(PG)	1
OSAJ-PG-02	1	2011-05-25	Ex OSAJ TYPE(PG)	1
OSAJ-PG-03	1	2011-05-25	Ex OSAJ TYPE(PG)	1
OSAJ-M1	3	2009-06-19	Flame Proof OSAJ Type(Metric)	1

**[17] Special Conditions for Safe Use**

1. The gasket is suitable for use within a service temperature range of -20°C to 110 °C.
2. The entry thread should be suitably sealed in order to maintain the IP rating.

**[18] Essential Health and Safety Requirements**

See item 9

*This certificate may only be reproduced in its entirety and without any change, schedule included.*

Postal address:  
P.O.Box 73 Blindern  
N-0314 OSLO, NORWAY

Office address:  
Gaustadalléen 30  
0373 OSLO

Telephone:  
+47 22 96 03 30  
Fax:  
+47 22 96 05 50

Enterprise number:  
NO 974404532